

GAZEBO MATIC®

# PERGOLE

ManualType / MotorizedType




# Pergola

Villa pergola is a semi-permanent premium aluminum pergola with double-layer innovative louvres, posts with round corner design, led lighting system to provide a perfect shade for your outdoor area. It is made of high-quality aluminum, which guarantees durability and solidity of the structure. Adjustable top blades allow you to choose between sun and shade seating

- ✓ Aluminum construction with long service life
- ✓ Maximum load up to 60 kg / m<sup>2</sup>
- ✓ Easy to build with assembly instructions
- ✓ Integrated roof gutter
- ✓ Double top blades
- ✓ White/grey color option

Either motorized by remote control or manual by hand crank operation based on customer's choice




Double-layer  
louvers



Better heat  
insulation



Motorised  
with light



Professional advanced  
waterproof IP67 motor, 24V low  
voltage, more stable and safer



Manual crank




Motorized

## FUNCTIONAL FEATURES

### Sun-proof, waterproof, ventilated


It's adopted with a new generation of shading technology, which has a very good function of shading and rain protection. By flexibly adjusting the opening and closing state of the blades, you can also adjust the light and ventilation effects, and choose the best way to start outdoor leisure life. It can withstand wind rating 35m/s (120 km/h).



- Rainproof - snowproof, windproof



- Sun-proof Anti-UV



- Ventilated



- Closed



- Flexible adjustment of opening and closing angle



- Open

## DRAINAGE SYSTEM

Rainwater streams through the internal gutter system and to posts of the structure which is a practical and clever solution.



- Hidden drainage system



- Water being lowered into post



- Drain to the lower end of the post



- Blade grooves facilitate diversion






Closed Slats





Half-Open Slats 45°



Slats Open 90°

## Wall Mounted Pergola

Innovative wall mounted villa pergola with robust frame and double-layer louver, F bracket perfect match with wall beam, simple assembly and user-friendly; maintenance-free construction




## LOUVER SYSTEM

Double-layer waterproof blades,  
stronger and better heat insulation



## LIGHTING SYSTEM

Special waterproof LED lighting  
system, 24V low voltage stable and  
safe



## FASHION COLOR

Professional outdoor powder coating,  
waterproof and dustproof, durable



Post

Aluminum 120 x 120 x 1.4 mm

Main Beam

Aluminum 150 x 62 x 1.4 mm ( Manual type )

Main Beam

Aluminum 170 x 47 x 1.4 mm ( Motorized type )

Beam

Aluminum 150 x 40 x 1.4 mm ( Manual type )

Beam

Aluminum 170 x 25 x 1.4 mm ( Motorized type )

Louver

Aluminum 135 x 30 x 1.2mm

Gutter

Aluminum 58 x 56 x 1.5mm ( Manual type )

Gutter


Aluminum 58 x 66 x 1.4mm ( Motorized type )

Size

3X3 / 3X4 / 4X4 / 6X4 m


## Sliding Glass Door

Convert your backyard or garden to be a fully enclosed room, durable and safe



## Blinds

Manual blinds, Manual blinds with zipper and Motorized blinds with zipper can be optional. Meet all possible assembly request




## Shutters

Diferent styles of shutters, elegant and stable



## Box and size/weight

Photos	Size	Box Size (mm)			N.W (Kg)	G.W (Kg)	QTY (CTN)	CTN NO	CBM	Description
		L	W	H						
	3X3	2870	320	160	36.1	38	1	1/4	0.15	Beam+Gutter
		2870	370	270	47.5	50	1	2/4	0.29	Louver
		2870	370	270	44.7	47	1	3/4	0.29	Louver
		2780	360	270	55.1	58	1	4/4	0.27	Post
	3X4	3900	320	160	43.7	46	1	1/4	0.20	Beam+Gutter
		2870	370	340	62.7	66	1	2/4	0.36	Louver
		2870	370	340	62.7	66	1	3/4	0.36	Louver
		2780	360	270	55.1	58	1	4/4	0.27	Post
	4X4 (Two bays)	3890	340	200	39.0	41	1	1/6	0.26	Beam+Gutter
		1960	330	380	42.8	45	1	2/6	0.25	Louver
		1960	330	380	42.8	45	1	3/6	0.25	Louver
		1960	330	380	42.8	45	1	4/6	0.25	Louver
		1960	330	380	42.8	45	1	5/6	0.25	Louver
		2780	310	260	56.1	59	1	6/6	0.22	Post
	6X4 (Two bays)	3980	380	200	71.3	75	1	1/6	0.26	Beam+Gutter
		2930	330	340	62.7	66	1	2/6	0.25	Louver
		2930	330	340	62.7	66	1	3/6	0.25	Louver
		2930	330	340	62.7	66	1	4/6	0.25	Louver
		2930	330	340	62.7	66	1	5/6	0.25	Louver
		2760	380	250	81.7	86	1	6/6	0.22	Post



**GAZEBO MATIC®**

---

Vai Nanni Valentini 9  
61048 Sant'Angelo in Vado (PU)  
Tel +39 0722 818254 - Mobile +39 392 4887963  
[info@gazebomatic.com](mailto:info@gazebomatic.com)  
[www.gazebomatic.com](http://www.gazebomatic.com)